

AXIS P5515-E	NEW I	320x180, 480x270, 800x450, 1280x720, 1920x1080	-	320x180, 480x270, 800x450, 1280x720, 1920x1080
AXIS P5522		176x120, 352x240, 704x240, 704x480, 720x480	-	176x120, 352x240, 704x240, 704x480, 720x480
AXIS P5522-E		176x120, 352x240, 704x240, 704x480, 720x480	-	176x120, 352x240, 704x240, 704x480, 720x480
AXIS P5532		352x240, 704x480, 720x480	-	352x240, 704x480, 720x480
AXIS P5532-E		352x240, 704x480, 720x480	-	352x240, 704x480, 720x480
AXIS P5534		320x180, 800x450, 1280x720	-	320x180, 800x450, 1280x720
AXIS P5534-E		320x180, 800x450, 1280x720	-	320x180, 800x450, 1280x720
AXIS P5624-E		320x180, 480x270, 800x450, 1280x720	-	320x180, 480x270, 800x450, 1280x720
AXIS P5624-E Mk II	NEW I	320x180, 480x270, 800x450, 1280x720	-	320x180, 480x270, 800x450, 1280x720
AXIS P5635-E	NEW I	320x180, 480x270, 800x450, 1280x720, 1920x1080	-	320x180, 480x270, 800x450, 1280x720, 1920x1080
AXIS P5635-E Mk II	NEW I	320x180, 480x270, 800x450, 1280x720, 1920x1080	-	320x180, 480x270, 800x450, 1280x720, 1920x1080
AXIS P8513		160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600	-	160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600
AXIS P8514		160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600, 1024x640, 1024x768, 1280x720, 1280x800	-	160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600, 1024x640, 1024x768, 1280x720, 1280x800
AXIS Q1602(E)		160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 720x576, 768x576	-	160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 720x576, 768x576
AXIS Q1604(E)		160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600, 1024x640, 1024x768, 1280x720, 1280x960	-	160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600, 1024x640, 1024x768, 1280x720, 1280x960
AXIS Q1614(E)		160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 720x576, 768x576, 800x450, 800x500, 800x600, 1024x640, 1024x768, 1280x720, 1280x960	-	160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 720x576, 768x576, 800x450, 800x500, 800x600, 1024x640, 1024x768, 1280x720, 1280x960
AXIS Q1615(E) Mk II	NEW I	160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600, 1024x640, 1024x768, 1280x720, 1280x960, 1400x1050, 1600x1200, 1920x1080	-	160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x200, 320x240, 480x270, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600, 1024x640, 1024x768, 1280x720, 1280x960, 1400x1050, 1600x1200, 1920x1080
AXIS Q1755(E)		320x180, 800x450, 1280x720, 1920x1080※2	-	320x180, 800x450, 1280x720, 1920x1080 ※2
AXIS Q1765-LE		160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x240, 480x270, 480x360, 640x360, 640x480, 800x450, 800x600, 1024x768, 1280x720, 1280x800, 1280x960, 1920x1080	-	160x90, 160x100, 160x120, 176x144, 240x180, 320x180, 320x240, 480x270, 480x360, 640x360, 640x480, 800x450, 800x600, 1024x768, 1280x720, 1280x800, 1280x960, 1920x1080
AXIS Q1910(E)		160x128	-	160x128
AXIS Q1921(E)		320x240, 640x480, 640x512, 768x576	-	320x240, 640x480, 640x512, 768x576
AXIS Q1922(E)		160x120, 160x128, 176x144, 240x180, 320x240, 320x256, 384x288, 480x360, 640x480, 640x512, 720x576, 800x600	-	160x120, 160x128, 176x144, 240x180, 320x240, 320x256, 384x288, 480x360, 640x480, 640x512, 720x576, 800x600
AXIS Q1941-E		160x120, 160x128, 176x144, 240x180, 320x240, 320x256, 384x288, 480x360, 640x480, 640x512, 720x576, 768x576	-	160x120, 160x128, 176x144, 240x180, 320x240, 320x256, 384x288, 480x360, 640x480, 640x512, 720x576, 768x576
AXIS Q3505(V,VE) Mk II	NEW I	160x90, 160x100, 160x120, 240x180, 320x180, 320x200, 320x240, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600, 854x480, 1024x640, 1024x768, 1280x720, 1280x800, 1280x960, 1400x1050, 1920x1080	-	160x90, 160x100, 160x120, 240x180, 320x180, 320x200, 320x240, 480x300, 480x360, 640x360, 640x400, 640x480, 800x450, 800x500, 800x600, 854x480, 1024x640, 1024x768, 1280x720, 1280x800, 1280x960, 1400x1050, 1920x1080
AXIS Q6032		176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576, 736x576 (PAL)	-	176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576, 736x576 (PAL)
AXIS Q6032-E		352x240, 704x480	-	352x240, 704x480
AXIS Q6034		320x180, 800x450, 1280x720	-	320x180, 800x450, 1280x720
AXIS Q6034-E		320x180, 800x450, 1280x720	-	320x180, 800x450, 1280x720
AXIS Q6035		320x180, 480x270, 800x450, 1280x720, 1920x1080 ※1	-	320x180, 480x270, 800x450, 1280x720, 1920x1080 ※1
AXIS Q6035-E		320x180, 480x270, 800x450, 1280x720, 1920x1080 ※1	-	320x180, 480x270, 800x450, 1280x720, 1920x1080 ※1
AXIS Q6044		320x180, 480x270, 800x450, 1280x720	-	320x180, 480x270, 800x450, 1280x720
AXIS Q6044-C.E.S		320x180, 480x270, 800x450, 1280x720	-	320x180, 480x270, 800x450, 1280x720
AXIS Q6045-E Mk II		320x180, 480x270, 800x450, 1280x720, 1920x1080	-	320x180, 480x270, 800x450, 1280x720, 1920x1080
AXIS Q6054-E	NEW I	320x180, 480x270, 800x450, 1280x720	-	320x180, 480x270, 800x450, 1280x720
AXIS Q6114-E		320x180, 480x270, 800x450, 1280x720	-	320x180, 480x270, 800x450, 1280x720
AXIS Q6115-E	NEW I	320x180, 480x270, 800x450, 1280x720, 1920x1080	-	320x180, 480x270, 800x450, 1280x720, 1920x1080
AXIS Q6128-E	NEW I	640x360, 1024x576, 1280x720, 1920x1080 ※3	-	640x360, 1024x576, 1280x720, 1920x1080 ※3
AXIS V5915	NEW I	320x180, 480x270, 800x450, 1280x720, 1920x1080	-	320x180, 480x270, 800x450, 1280x720, 1920x1080
ビデオエンコーダ				
AXIS 241S		160x120, 320x240, 640x480	176x120, 352x240, 704x480	-
AXIS 241SA		160x120, 320x240, 640x480	176x120, 352x240, 704x480	-
AXIS 241Q		160x120, 320x240, 640x480	176x120, 352x240, 704x480	-
AXIS 241QA		160x120, 320x240, 640x480	176x120, 352x240, 704x480	-
AXIS 243SA		160x120, 320x240, 640x480	176x120, 352x240, 704x480	-
AXIS 243Q Blade		160x120, 320x240, 640x480	176x120, 352x240, 704x480	-
AXIS M7001		176x120, 352x240, 704x480, 720x480	-	176x120, 352x240, 704x480, 720x480
AXIS M7010		176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576	-	176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576
AXIS M7011		176x120, 352x240, 704x240, 704x480, 720x480	-	176x120, 352x240, 704x240, 704x480, 720x480
AXIS M7014		176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576	-	176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576
AXIS M7016		160x120, 176x120, 176x144, 192x144, 320x240, 352x240, 352x288, 384x288, 640x240, 640x480, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576, 768x288, 768x576, 1024x768, 1280x960, 1536x1152	-	160x120, 176x120, 176x144, 192x144, 320x240, 352x240, 352x288, 384x288, 640x240, 640x480, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576, 768x288, 768x576, 1024x768, 1280x960, 1536x1152
AXIS M7411		176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)	-	176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)
AXIS P7210		176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576	-	176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576
AXIS P7214		176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576	-	176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576
AXIS P7224 Blade		176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576	-	176x120, 176x144, 352x240, 352x288, 704x240, 704x288, 704x480, 704x576, 720x480, 720x576
AXIS Q7401		176x120, 352x240, 704x480, 720x480	-	176x120, 352x240, 704x480, 720x480
AXIS Q7404		176x120, 352x240, 704x480, 720x480	-	176x120, 352x240, 704x480, 720x480
AXIS Q7406 Blade		176x120, 352x240, 704x480, 720x480	-	176x120, 352x240, 704x480, 720x480
AXIS Q7411		176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)	-	176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)
AXIS Q7424-R		176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)	-	176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)
AXIS Q7414 Blade		176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)	-	176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)
AXIS Q7424-R		176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)	-	176x120, 352x240, 704x240, 704x480, 720x480 (NTSC) 176x144, 352x288, 704x288, 704x576, 720x576 (PAL)

※1 1920x1080以上の解像度の場合は画質を70以下に設定してください。

※2 1920x1080 でご利用いただく場合は対応カメラの画素数と画角を必ずご確認ください。

※3 60fpsで高解像度の場合は、クライアントPCやネットワークの環境により、設定した通りにライブや録画ができない口映像遅延が発生する) 可能性があります。口

WV-SW598(J,A,AJ)	NEW!	320x180, 320x240, 640x360, 640x480, 1280x720, 1280x960, 1920x1080	-	320x180, 320x240, 640x360, 640x480, 1280x720, 1280x960, 1920x1080
ビデオエンコーダ				
DG-GXE100		320x180, 320x240, 640x360, 640x480	-	320x180, 320x240, 640x360, 640x480
DG-GXE500		320x180, 320x240, 640x360, 640x480 ※1	-	320x180, 320x240, 640x360, 640x480, 720x480
WJ-GXE500	NEW!	320x180, 320x240, 640x360, 640x480, 720x480	-	320x180, 320x240, 640x360, 640x480, 720x480

※1 エンコーダ側の仕様により、エンコーダをDIモードに設定頂ければ、MotionJPEGでも720x480の映像を取得することが可能です。

※2 カメラ側を以下のように設定してください。設定を誤ると、正しく映像が表示されない場合があります。

最大画像サイズ設定=1280x960、記号フォーマット設定=MJPEG(1280x960/640x480/320x240/192x144)

※3 メーカーの方針に則り、品番が「DG」→「WV」に変更となっていますが、どちらもご利用できます。

OPTEX		JPEG	MPEG-4	H.264
UWC-1 IP-J		320x240, 640x480	-	-
SANYO		JPEG	MPEG-4	H.264
VCC-HD2300		320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712	-	320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712
VCC-HD2500		320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712	-	320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712
VCC-HD3300		320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712	-	320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712
VCC-HD3500		320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712	-	320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712
VCC-HD4600		320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712	-	320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080, 2288x1712
VCC-HD5400		320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080	-	320x240, 640x360, 640x480, 800x600, 1280x720, 1280x960, 1600x1200, 1920x1080
JVC		JPEG	MPEG-4	H.264
VN-H137B		320x240, 640x360, 640x480, 1280x720, 1280x960, 1920x1080	-	320x240, 640x360, 640x480, 1280x720, 1280x960, 1920x1080
VN-H157WP		320x240, 640x360, 640x480, 1280x720, 1280x960, 1920x1080	-	320x240, 640x360, 640x480, 1280x720, 1280x960, 1920x1080
VN-H237B		320x240, 640x360, 640x480, 1280x720, 1280x960, 1920x1080	-	320x240, 640x360, 640x480, 1280x720, 1280x960, 1920x1080
VN-H28	NEW I	-	-	エンコーダー1: 640x360, 640x480, 1280x720, 1280x960, 1920x1080, 2304x1296 エンコーダー2: 320x176, 320x240, 384x216, 640x360, 640x480 エンコーダー3: 320x176, 320x240, 384x216, 640x360, 640x480
VN-H57B		320x240, 352x240, 640x360, 640x480, 720x480, 1280x720, 1280x960, 1920x1080	-	320x240, 352x240, 640x360, 640x480, 720x480, 1280x720, 1280x960, 1920x1080
VN-H657B		320x240, 352x240, 640x360, 640x480, 720x480, 1280x720, 1280x960, 1920x1080	-	320x240, 352x240, 640x360, 640x480, 720x480, 1280x720, 1280x960, 1920x1080
VN-H657WPB		320x240, 352x240, 640x360, 640x480, 720x480, 1280x720, 1280x960, 1920x1080	-	320x240, 352x240, 640x360, 640x480, 720x480, 1280x720, 1280x960, 1920x1080
DNP		JPEG	MPEG-4	H.264
DREC-402N		-	-	320x240, 640x240, 640x480, 1280x720, 1280x960
ARTRAY		JPEG	MPEG-4	H.264
ARTCAM-DF1-3MEII		-	-	640x480, 1280x1024, 1920x1072
HIKVISION		JPEG	MPEG-4	H.264
DS-2CD2012-I		-	-	640x480, 704x480, 1280x720, 1280x960
DS-2CD2032F-I		-	-	320x240, 352x288, 640x480, 704x576
DS-2CD2112F-I		-	-	640x480, 704x480, 1280x720, 1280x960
DS-2CD2122FWD-I	NEW I	-	-	352x240, 640x360, 1280x720, 1280x960, 1920x1080
DS-2CD2132F-IS		-	-	320x240, 352x240, 640x480, 704x480
DS-2DE2103-DE3/W	NEW I	-	-	1280x720
DS-2CD2632F-IS		-	-	1280x720, 1920x1080, 2048x1536
DS-2CD2722FWD-IS	NEW I	-	-	1280x720, 1280x960, 1920x1080
DS-2CD2732F-IS		-	-	1280x720, 1920x1080, 2048x1536
DS-2DE4220-AE	NEW I	-	-	320x240, 352x240, 704x480, 1280x720, 1920x1080
DS-2DE4220-AE3	NEW I	-	-	320x240, 352x240, 704x480, 1280x720, 1920x1080
COREGA		JPEG	MPEG-4	H.264
CG-NCD0011A		320x240, 640x480, 720x480, 1280x720	-	320x240, 640x480, 720x480, 1280x720, 1280x960, 1920x1080
CG-NCBU031A		320x240, 640x480, 720x480, 1280x720	-	320x240, 640x480, 720x480, 1280x720, 1280x960, 1920x1080
CG-NCVD031A		320x240, 640x480, 720x480, 1280x720	-	320x240, 640x480, 720x480, 1280x720, 1280x960, 1920x1080
CREW SYSTEMS		JPEG	MPEG-4	H.264
SI0570		-	-	640x480, 1280x720
SI0620		-	-	640x480, 1280x720
SI0650		-	-	640x400, 1280x720
SHARP		JPEG	MPEG-4	H.264
LZOP421	NEW I	-	-	176x144, 320x240, 352x288, 480x360, 640x480, 720x480, 720x576, 1280x720, 1280x960, 1920x1080
LZOP422	NEW I	-	-	176x144, 320x240, 352x288, 480x360, 640x480, 720x480, 720x576, 1280x720, 1280x960, 1920x1080
LZOP431B	NEW I	-	-	352x240, 640x480, 720x480, 800x600, 1024x768, 1280x720, 1280x1024, 1920x1080, 2304x1296, 2560x1440, 2880x1512
LZOP432B	NEW I	-	-	352x240, 640x480, 720x480, 800x600, 1024x768, 1280x720, 1280x1024, 1920x1080, 2304x1296, 2560x1440, 2880x1512
LZOP436	NEW I	-	-	352x240, 640x480, 720x480, 800x600, 1024x768, 1280x720, 1280x1024, 1920x1080
SECURE		JPEG	MPEG-4	H.264
NC-A220-3MW	NEW I	-	-	352x240, 704x480, 1280x720, 1920x1080
NC-B320-DP	NEW I	-	-	352x240, 704x480, 1280x720, 1920x1080
NC-D320-P	NEW I	-	-	352x240, 640x360, 704x480, 1280x720, 1920x1080
NC-EA220-WP	NEW I	-	-	352x240, 640x360, 704x480, 1280x720, 1920x1080
NC-S220-IZ	NEW I	-	-	352x240, 640x360, 704x480, 1280x720, 1920x1080
NC-S220-IZWH	NEW I	-	-	352x240, 640x360, 704x480, 1280x720, 1920x1080
ELECOM		JPEG	MPEG-4	H.264
NCB-BP200BWGR	NEW I	320x240, 640x480, 720x480, 1280x720	-	320x240, 640x480, 720x480, 1280x720, 1280x960, 1920x1080
NCB-DP200AWWH	NEW I	320x240, 640x480, 720x480, 1280x720	-	320x240, 640x480, 720x480, 1280x720, 1280x960, 1920x1080
NCB-DP200BUWH	NEW I	320x240, 640x480, 720x480, 1280x720	-	320x240, 640x480, 720x480, 1280x720, 1280x960, 1920x1080